

**From:** [Wright, Jeff](#)  
**To:** [Gary Moore/R6/USEPA/US@EPA](#)  
**Subject:** RE: Delta Shipyards  
**Date:** 05/30/2012 03:47 PM

---

Those are the issues we will be discussing on Weston's conf call tomorrow. We will then go over those with you on our call next week. How about Tuesday at 2pm?



**Jeff Wright, CHMM**  
**Weston Solutions, Inc.**  
*an employee-owned company*  
13702 Coursey Blvd.,  
Bldg #7, STE A  
Baton Rouge, LA 70817  
(225) 297-5415 Direct  
(225) 278-8406 Cell  
[Jeff.Wright@westonsolutions.com](mailto:Jeff.Wright@westonsolutions.com)

---

**From:** Gary Moore [mailto:Moore.Gary@epamail.epa.gov]  
**Sent:** Wednesday, May 30, 2012 3:30 PM  
**To:** Wright, Jeff  
**Subject:** Re: Delta Shipyards

Jeff:

This is where Weston's expertise comes in to play. What additional information (data) does Weston think we need to obtain to make sure the site is properly characterized to be able to do a removal action to clean up the site? This should be proposed to me and we should discuss to make sure that I am on board and agree and then we move forward with obtaining that information. I will be in Monday, Tuesday, and Wednesday of next week and then I won't return until June 18.

Thanks

Gary Moore  
Federal On-Scene Coordinator  
EPA Region 6  
Cell: 214-789-1627  
Work: 214-665-6609  
email: moore.gary@epa.gov

---

**From:** "Wright, Jeff" <Jeff.Wright@WestonSolutions.com>  
**To:** Gary Moore/R6/USEPA/US@EPA  
**Cc:** "Bordelon, David" <David.Bordelon@WestonSolutions.com>  
**Date:** 05/30/2012 02:33 PM  
**Subject:** Delta Shipyards

---



9522336

Gary –

Just wanted to touch base regarding Delta Shipyards. We have received the Disposal Options and preliminary Cost Estimates from our construction people in Houston. There are a number assumptions that they had to include in order to complete the cost estimates. We are going to discuss those assumptions tomorrow. Once we address the assumptions and finalize our cost estimates, I will forward it to you. If no big changes are encountered, I will send that to you on Friday (6/1). Michelle Brown has completed the Draft QASP which I've attached to this email. It does not contain any supplemental assessment samples that we may need for your assessment part or for LDEQ's concerns. In talking with John Halk, LDEQ's primary data gap concerns were: 1) Accurate Depth & Volume; 2) Potential layering or stratification; 3) Leaching potential of impacted soil; and 4) potentially the current leach ability of the soil underneath the waste if groundwater is impacted above a screening or MO-1 level (RECAP). LDEQ may also ask for some general analyses of the source material, such as Organic Carbon and Percent Moisture. As far as our assessment goes, we obviously would need an accurate depth and volume. It does not appear that we currently have a defined extent of contamination.

I would like to schedule a conference call with you, David Bordelon, Jeff Criner and myself next week to go over the Disposal Options/Cost Estimates as well as discuss any additional sampling that may be required. Let me know what would be a good time for you and we'll set it up.

One other thing I wanted to bring your attention too. The area known as Pit 4 (west of the primary area of concern) which is covered with grass, has Arsenic concentrations above the Region 6 SSL. I know you're not bound by those SSL, but just wanted you to know. Our disposal options/ cost estimates does not address that area.



**Jeff Wright, CHMM**  
**Weston Solutions, Inc.**

*an employee-owned company*

13702 Coursey Blvd.,  
Bldg #7, STE A  
Baton Rouge, LA 70817

(225) 297-5415 Direct

(225) 278-8406 Cell

[Jeff.Wright@westonsolutions.com](mailto:Jeff.Wright@westonsolutions.com)

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly

prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.